

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.			
10/607,825	06/27/2003	Paul Leblans	27500-160	8428			
. 75	08/10/2005	EXAMINER					
Joseph Guy	ET JACOBS & POLLARI	WEBB, CHRI	WEBB, CHRISTOPHER G				
P.O. Box 10107		ART UNIT	PAPER NUMBER				
Greenville, SC 29603			2878				
			DATE MAILED: 08/10/2003	DATE MAILED: 08/10/2005			

Please find below and/or attached an Office communication concerning this application or proceeding.

	·						
		Applicatio	n No.	Applicant(s)			
Office Action Commons		10/607,82	5	LEBLANS, PAUL		The	
	Office Action Summary	Examiner		Art Unit			
		Christophe		2878			
Period fo	The MAILING DATE of this communication Reply	on appears on the	cover sheet with the c	orrespondence add	ress		
A SHOTHE I - Exter after - If the - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR F MAILING DATE OF THIS COMMUNICAT asions of time may be available under the provisions of 37 (SIX (6) MONTHS from the mailing date of this communicat period for reply specified above is less than thirty (30) days period for reply is specified above, the maximum statutory re to reply within the set or extended period for reply will, by reply received by the Office later than three months after the reply against term adjustment. See 37 CFR 1.704(b).	TON. CFR 1.136(a). In no eve tion. s, a reply within the statu y eperiod will apply and will y statute. cause the appli	nt, however, may a reply be tim tory minimum of thirty (30) day expire SIX (6) MONTHS from cation to become ABANDONE	nely filed s will be considered timely. the mailing date of this com D (35 U.S.C. § 133).	nmunication	1.	
Status				•			
1)	Responsive to communication(s) filed on	20 May 2005		•			
2a)□	· ·	This action is no	on-final				
, —	Since this application is in condition for a closed in accordance with the practice un	illowance except	for formal matters, pro		merits is	S	
Dispositi	on of Claims						
5)⊠ 6)□ 7)⊠	Claim(s) <u>1-57</u> is/are pending in the applic 4a) Of the above claim(s) is/are wind Claim(s) <u>1-57</u> is/are allowed. Claim(s) is/are rejected. Claim(s) <u>29-56</u> is/are objected to. Claim(s) are subject to restriction	ithdrawn from cor			·		
Applicati	on Papers						
9)[The specification is objected to by the Ex	aminer.					
10)	The drawing(s) filed on is/are: a)						
	Applicant may not request that any objection						
11)	Replacement drawing sheet(s) including the author declaration is objected to by					a).	
	•	the Examiner. He					
•	ınder 35 U.S.C. § 119						
a)	Acknowledgment is made of a claim for for All b) Some * c) None of: 1. Certified copies of the priority documents. 2. Certified copies of the priority documents. 3. Copies of the certified copies of the application from the International Election for the attached detailed Office action for the action f	uments have bee uments have bee le priority docume Bureau (PCT Rule	n received. n received in Applicat ents have been receive e 17.2(a)).	on No ed in this National S	Stage		
Attachmer	it(s)						
	ce of References Cited (PTO-892)		4) Interview Summary				
3) Infor	ce of Draftsperson's Patent Drawing Review (PTO-9 mation Disclosure Statement(s) (PTO-1449 or PTO er No(s)/Mail Date		Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate Patent Application (PTO-	-152)		

Application/Control Number: 10/607,825

Art Unit: 2878

DETAILED ACTION

Claim Objections

Claims 29-56 objected to because of the following informalities: With respect to claims 29-52, radiography is spelled incorrectly. As to claims 53-56, "A mammographic applications" should reflect either the singular or the plural. Appropriate correction is required. Additionally, the changes to claims 53-56 still set forth a use without any claimed recitation of steps that comprise this process. A change from "A mammographic applications" to "A mammographic system" is recommended.

Allowable Subject Matter

Claims 1-57 allowed.

The following is an examiner's statement of reasons for allowance: A screen comprising the binderless needle-shaped phosphor CsBr: Eu, with the dopant in the range of 100-400 p.p.m. versus CsBr, was not found in prior art in conjunction with a substrate having roughness of less than 2 µm and a reflectivity of more than 80%, nor was the screen found to be obvious over prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/607,825

Art Unit: 2878

Conclusion

This application is in condition for allowance except for the following formal matters:

There are currently minor informalities in claims 29-56 as noted above.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher G. Webb whose telephone number is (571) 272-8449. The examiner can normally be reached on 9AM - 5:30PM M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David P. Porta can be reached on (571) 272-2444. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 10/607,825

Art Unit: 2878

CGW

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800